

# C200

C200



车总长/总宽/总高	3450x1280x1500
车斗长/斗宽/斗高	1800x1280x650
轮胎	500-12耐力可
轴距/轴宽	2300x1050
油箱容量	28升
发动机	金鲨200风冷
	加散热风扇
减震	430外簧加筋
弓子板	路虎12片平板
后桥	长安全浮220机械刹
座椅	带副座 加折板座

Overall length/width/height of the vehicle	3450x1280x1500
Bucket length/width/height	1800x1280x650
Tyre	500-12 Endurance
Wheelbase/width	2300x1050
Fuel tank capacity	28 liters
Engine	Jinsha 200 air-cooled
	Add cooling fan
Damping	430 external spring reinforcement
Arched plate	Land Rover 12 tablet
Rear axle	Changan Quanzu 220 Mechanical Brake
Seat	With auxiliary seat and folding plate seat

## 五轮自卸

Five wheel self unloading



车总长/总宽/总高	3600x1400x1600
车斗长/斗宽/斗高	2000x1400x650
轮胎	500-12 耐力可
轴距/轴宽	2800x1100
后桥	加力主油刹
弓子板	10片平板加重
减震	50外簧
发动机	金鲨300双冷高标机
油箱容量	28升

Overall length/width/height of the vehicle	3600x1400x1600
Bucket length/width/height	2000x1400x650
Tyre	500-12
Wheelbase/width	2800x1100
Rear axle	Afterburner oil brake
Arched plate	10 tablets weighted
Damping	50 outer spring
Engine	Jinsha 300 Double Cooling High Standard Machine
Fuel tank capacity	28 liters

## 自卸T200

Self-unloading (Dump Tricycle) T200



车总长/总宽/总高	3600x1300x1600
车斗长/斗宽/斗高	2000x1300x650
轮胎	500-12
轴距/轴宽	2400x1150
后桥	长安全浮220机械刹
弓子板	路虎12片平板
减震	拱式减震
发动机	金鲨200双冷高标机
油箱容量	14升

Overall length/width/height of the vehicle	3600x1300x1600
Bucket length/width/height	2000x1300x650
Tyre	500-12
Wheelbase/width	2400x1150
Rear axle	Changan Quanzu 220 Mechanical Brake
Arched plate	Land Rover 12 tablet
Damping	Power shock absorption
Engine	Jinsha 200 Double Cooling High Standard Machine
Fuel tank capacity	14 liters

## 客车D100

Bus D100



车总长/总宽/总高	2860x980x1750
轴距	前桥350-12
后桥	160半浮
弓子板	5片
减震	430内簧
电机型号	1000w可定制

Overall length/width/height of the vehicle	2860x980x1750
Tyre	Front and rear 350-12
Rear axle	160 semi-floating
Arched plate	5 pieces
Damping	430 inner spring
Motor model	1000w customizable

## T150

T150



车总长/总宽/总高	3600x1300x1600
车斗长/斗宽/斗高	2000x1300x650
轮胎	500-12
轴距/轴宽	2400x1150
后桥	长安全浮220机械刹
弓子板	路虎12片平板
减震	430外簧
发动机	金鲨200双冷高标机
油箱容量	14升
车架	一体大踏板

Overall length/width/height of the vehicle	3600x1300x1600
Bucket length/width/height	2000x1300x650
Tyre	500-12
Wheelbase/width	2400x1150
Rear axle	Changan Quanzu 220 Mechanical Brake
Arched plate	Land Rover 12 tablet
Damping	430 outer spring
Engine	Jinsha 200 Double Cooling High Standard Machine
Fuel tank capacity	14 liters
Frame	Integrated large pedal

## T50

T50



车总长/总宽/总高	3450x1200x1550
车斗长/斗宽/斗高	1800x1200x650
轮胎	500-12
轴距/轴宽	2400x1150
后桥	长安半浮160机械刹
弓子板	7片
减震	430外簧
发动机	金鲨150风冷
油箱容量	14升

Overall length/width/height of the vehicle	3450x1200x1550
Bucket length/width/height	1800x1200x650
Tyre	500-12
Wheelbase/width	2400x1150
Rear axle	Changan semi-floating 160 mechanical brake
Arched plate	7 pieces
Damping	430 outer spring
Engine	Jinsha 150 air-cooled
Fuel tank capacity	14 liters

## 五轮双顶自卸T350

Five wheel double top dump T350



车总长/总宽/总高	3800x1500x1650
车斗长/斗宽/斗高	2200x1500x800
轮胎	500-12 人字
轴距/轴宽	2800x1100
后桥	加力主油刹
弓子板	路虎12片平板
减震	60拱式减震
发动机	金鲨350双冷高标机
油箱容量	28升
车架	一体大踏板

Overall length/width/height of the vehicle	3800x1500x1650
Bucket length/width/height	2200x1500x800
Tyre	500-12 characters
Wheelbase/width	2800x1100
Rear axle	Afterburner oil brake
Arched plate	Land Rover 12 tablet
Damping	60 Korean shock absorption
Engine	Jinsha 350 Double Cooling High Standard Machine
Fuel tank capacity	28 liters
Frame	Integrated large pedal

## 九轮自卸 T500

Nine wheel self-unloading T500



车总长/总宽/总高	4800x1500x1800
车斗长/斗宽/斗高	3000x1500x855
轮胎	800-12
轴距/轴宽	3000x1150
制动/驻车	加力主油刹鼓刹
手子板	踏车12片平板
减震	50外簧
发动机	双缸350水冷
油箱容量	28升

Overall length/width/height of the vehicle	4800x1500x1800
Bed length/width/height	3000x1500x855
Tire	800-12
Wheelbase	3000x1150
Brake	Power King Oil Brake Dual Drive
Hand plate	Load Lever 12 plates
Shock	50 outer spring
Engine	Shuanghuang 350 water-cooled
Fuel tank capacity	28 liters

## 封闭客车 A150

Enclosed passenger car A150



车总长/总宽/总高	2900x1300x1750
轮胎	375-12
轴距/轴宽	2150x1050
制动	长安液刹
手子板	多连杆支撑
减震	37减震
发动机	金蟾150水冷
油箱容量	28升

Overall length/width/height of the vehicle	2900x1300x1750
Tire	375-12
Wheelbase	2150x1050
Brake	Changan oil brake
Hand plate	Multi-link support arm
Shock	37 Shock absorber
Engine	37 Shock absorber
Fuel tank capacity	28 liters

## 电动D150

Electric D150



车总长/总宽/总高	2900x1000x1350
车斗长/斗宽/斗高	1500x1000x450
轮胎	350-12
轴距/轴宽	1850x850
制动	长安半浮160机械刹
手子板	5片
减震	37内簧
电机	1000W

Overall length/width/height of the vehicle	2900x1000x1350
Bed length/width/height	1500x1000x450
Tire	350-12
Wheelbase	1850x850
Brake	Changan semi floating 160 mechanical
Hand plate	5-piece
Shock	37 inner spring
Motor capacity	1000W

## 电动自卸D180

Electric self-unloading D180



车总长/总宽/总高	3000x1100x1350
车斗长/斗宽/斗高	1600x1100x450
轮胎	350-12
轴距/轴宽	1900x850
制动	长安半浮160机械刹
手子板	7片
减震	43内簧
电机	1500W
液压系统	液压自卸

Overall length/width/height of the vehicle	3000x1100x1350
Bed length/width/height	1600x1100x450
Tire	350-12
Wheelbase	1900x850
Brake	Changan semi floating 160 mechanical
Hand plate	7-piece
Shock	43 inner spring
Motor capacity	1500W
Hydraulic system	Oil pressure self-unloading

## 环卫自卸D500

Sanitation dump D500



车总长/总宽/总高	3600x1400x1900
车斗长/斗宽/斗高	2000x1400x1000
轮胎	800-12 耐力可
轴距/轴宽	2850x1100
制动	长安半浮180油刹
手子板	踏车12片平板
减震	430外簧
电机	2000W
液压系统	液压自卸加侧挂油升臂

Overall length/width/height of the vehicle	3600x1400x1900
Bed length/width/height	2000x1400x1000
Tire	800-12 Durability
Wheelbase	2850x1100
Brake	Changan Semi-Floating 180 Oil Brake
Hand plate	Load Lever 12 plates
Shock	430 outer spring
Motor capacity	2000W
Hydraulic system	Oil pressure self-unloading and side hanging oil pressure lifting

## 客运车C150

Passenger vehicle C150



车总长/总宽/总高	2850x1020x1780
轮胎	350-12 耐力可
轴距/轴宽	2250x860
制动	长安半浮31
手子板	5片一体
减震	43内簧
发动机	金蟾150水冷
油箱容量	14升

Overall length/width/height of the vehicle	2850x1020x1780
Tire	350-12 Durability
Wheelbase	2250x860
Brake	Changan Half Float 31
Hand plate	5-piece integrated
Shock	43 inner spring
Engine	31 Shock absorber
Fuel tank capacity	14 liters

## 全路况四驱车

All road four-wheel drive vehicle



车总长/总宽/总高	3700x1500x1860
车斗长/斗宽/斗高	1800x1300x600
轮胎	A725K8-12高密
轴距/轴宽	2420x1040
油箱容量	28升
发动机	350双水冷 6速发动机
制动	分式四鼓 带高低速
前碟后鼓	四轮油刹
座位	3人座

Overall length/width/height of the vehicle	3700x1500x1860
Bed length/width/height	1800x1300x600
Tire	A725K8-12 high-density
Wheelbase	2420x1040
Fuel tank capacity	28 liters
Engine	350 dual water-cooled 6-speed engine
Brake	Part-time four-drum with high/low gear
Front disc rear drum	Four-wheel oil brake
Seat	3-seater seat

## S300中轴

S300 central shaft



车总长/总宽/总高	4100x1480x1785
车斗长/斗宽/斗高	2200x1400x70
轮胎	全新550-13钢丝胎
轴距/轴宽	2820x1230
手子板	60x10x主杆10H x80
发动机	宗申300中轴
制动	6速加带低速
后桥	铸铝中轴 比速: 41
减震	220鼓刹
液压系统	60特加厚加粗带阻尼
油箱容量	双缸自缸
油箱容量	28升

Overall length/width/height of the vehicle	4100x1480x1785
Bed length/width/height	2200x1400x70
Tire	Zhengping 550-13 steel wire tire
Wheelbase	2820x1230
Hand plate	60x10x main rod 10H x80
Engine	Zongshen 300 central shaft
Brake	6-speed transmission with low speed
Shock	220 Shock Brake
Shock	60mm dia. reinforced shock absorber with damping
Fuel tank capacity	Double cylinder self-cylinder
Fuel tank capacity	28 liters

## C150

JINSHA C150



车总长/总宽/总高	3450x1280x1550
车斗长/斗宽/斗高	1900x1280x600
轮胎	500-12 耐力可
轴距/轴宽	2400x1100
减震	50外簧加筋
手子板	平板主杆12片加粗尼腊
发动机	金城250双水冷
后桥	双速缓冲器
后桥	长安全牙180机械制
油箱容量	28升

Wheel length/width/height of the wheel	3450x1280x1550
Body length/width/height	1900x1280x600
Tire	500-12 cover
Wheelbase	2400x1100
Damping	50 outer spring reinforcement
Hand plate	12 main and auxiliary plates with dampers on the flat plate
Engine	Jinsha 250 Double Water Cooling
Back axle	Double speed buffer device
Rear axle	Changan Full Tooth 180 Mechanical Brake
Fuel tank capacity	28 liters

## AMG

JINSHA AMG



车总长/总宽/总高	3400x1280x1470
车斗长/斗宽/斗高	1800x1200x450
轮胎	欧宝莱500-12小花钢线胎
轴距/轴宽	2250x1035
减震	426液胎外簧 加筋
手子板	7片 加粗带
后桥	长安全牙180
发动机	金城风冷150
后桥	加独立散热轴制
座椅	带侧座 加折板座
油箱容量	20升

Wheel length/width/height of the wheel	3400x1280x1470
Body length/width/height	1800x1200x450
Tire	Double 500-12 small flower steel wire tire
Wheelbase	2250x1035
Damping	426 liquid tire outer spring with external spring reinforcement
Hand plate	7 pieces with dampers
Back axle	Changan Full Tooth 180
Engine	Jinsha 150 Independent air-cooled 150
Rear axle	Add independent cooling axle
Seat	With auxiliary seat and folding plate seat
Fuel tank capacity	20 liters

## HDNDA

HDANDA



车总长/总宽/总高	3400x1280x1470
车斗长/斗宽/斗高	1800x1200x60
轮胎	500-12
轴距/轴宽	2250x1035
减震	430外簧
手子板	7片
后桥	长安全牙180
发动机	金城风冷150
后桥	带侧座
油箱容量	14升

Wheel length/width/height of the wheel	3400x1280x1470
Body length/width/height	1800x1200x60
Tire	500-12
Wheelbase	2250x1035
Damping	430 outer spring
Hand plate	7 pieces
Rear axle	Changan Full Tooth 180
Engine	Entrepreneurship and innovation
Seat	With auxiliary seat
Fuel tank capacity	14 liters

## C250

C250



车总长/总宽/总高	3620x1400x1550
车斗长/斗宽/斗高	2000x1300x600
轮胎	500-12 耐力可
轴距/轴宽	2500x1155
减震	50外簧加筋
手子板	平板主杆12片加粗尼腊
发动机	金城250双水冷
后桥	双速缓冲器
后桥	220大轴头机械制
油箱容量	28升

Wheel length/width/height of the wheel	3620x1400x1550
Body length/width/height	2000x1300x600
Tire	500-12 cover
Wheelbase	2500x1155
Damping	50 external spring reinforcement
Hand plate	12 main and auxiliary plates with dampers on the flat plate
Engine	Jinsha 250 Double Water Cooling
Back axle	Double speed buffer device
Rear axle	220 large shaft head mechanical brake
Fuel tank capacity	28 liters

## 双创封闭货车

ShuangChuang Enclosed truck



车总长/总宽/总高	3600x1500x2220
车斗长/总宽/总高	2000x1400x1500
车斗上/下门高度/下门	950x400
轮胎	500-12 耐力可
轴距/轴宽	2450x1250
后桥	加力王速刹
手子板	路虎12片平板
减震	50外簧
发动机	金城300双冷高标机
油箱容量	28升

Wheel length/width/height of the wheel	3600x1500x2220
Body length/width/height	2000x1400x1500
Body top/door height/door	950x400
Tire	500-12 cover
Wheelbase	2450x1250
Rear axle	Aftertuner of brake
Hand plate	Land Rover 12 plates
Damping	50 outer spring
Engine	Jinsha 300 Double Cooling
Fuel tank capacity	High Standard Machine
Fuel tank capacity	28 liters

## 双创快递车

ShuangChuang Express delivery truck



车总长/总宽/总高	2950x1060x1780
车斗长/斗宽/斗高	1500x1000x970
轮胎	350-12
轴距/轴宽	2050x890
控制器	巨龙 48V100W
电机	巨龙 48V100W
后桥	长安一体半浮真低速
手子板	5片
减震	37内簧

Wheel length/width/height of the wheel	2950x1060x1780
Body length/width/height	1500x1000x970
Tire	350-12
Wheelbase	2050x890
Controller	Jule 48V100W
Motor	Jule 48V100W
Rear axle	Changan Integrated Semi Floating
Hand plate	5 pieces
Damping	37 inner spring